CODE	Advanced Linear Algebra	CATEGORY	L	Т	Р	CREDIT
MAT 281		B. Tech Minor (S3)	3	1	0	4

Preamble: This course introduces the concept of a vector space which is a unifying abstract frame work for studying linear operations involving diverse mathematical objects such as n-tuples, polynomials, matrices and functions. Students learn to operate within a vector and between vector spaces using the concepts of basis and linear transformations. The concept of inner product enables them to do approximations and orthogonal projects and with them solve various mathematical problems more efficiently.

Prerequisite: A basic course in matrix algebra.

Course Outcomes: After the completion of the course the student will be able to

CO 1	Identify many of familiar systems as vector spaces and operate with them using vector
	space tools such as basis and dimension.
CO 2	Understand linear transformations and manipulate them using their matrix
	representations.
CO 3	Understand the concept of real and complex inner product spaces and their applications in
	constructing approximations and orthogonal projections
CO 4	Compute eigen values and eigen vectors and use them to diagonalize matrices and simplify
	representation of linear transformations
CO 5	Apply the tools of vector spaces to decompose complex matrices into simpler components, find
	least square approximations, solution of systems of differential equations etc.

Mapping of course outcomes with program outcomes

	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12
CO 1	3	3	3	3	2	1			1	2		2
CO 2	3	3	3	3	2	1			1	2		2
CO 3	3	3	3	3	2	1			1	2		2
CO 4	3	2	3	2	1	Det el			1	2		2
CO 5	3	3	3	3	2	1			1	2		2

Assessment Pattern

Bloom's Category	Continuous Asses	End Semester	
	1	2	Examination
Remember	5 4	5	10
Understand	10	10	20
Apply	10	10	20
Analyse	10	10	20
Evaluate	15	15	30
Create			

End Semester Examination Pattern: There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

Course Level Assessment Questions

Course Outcome 1 (CO1):

- 1. Show that the $S_1 = \{(x, y, 0) \in R^3\}$ is a subspace of R^3 and $S_2 = \{(x, y, z) \in R^3 : x + y + z = 2\}$ is not a subspace of R^3
- 2. Let S_1 and S_2 be two subspaces of a finite dimensional vector space. Prove that $S_1 \cap S_2$ is also a subspace. Is $S_1 \cup S_2$ s subspace. Justify your answer.
- 3. Prove that the vectors {(1,1,2,4), (2,−1,5,2), (1,−1,−4,0), (2,1,1,6)} are linearly independent
- 4. Find the null space of $A = \begin{bmatrix} 1 & 2 & 0 & -1 \\ 2 & 6 & -3 & -3 \\ 3 & 10 & -6 & -5 \end{bmatrix}$ and verify the rank nullity theorem for $m \times n$ matrix in case of A

Course Outcome 2 (CO2)

1. Show that the transformation $T; R^2 \rightarrow R^3$ defined by T(x, y) = (x - y, x + y, y)

is a linear transformation.

- 2. Determine the linear mapping $\varphi; R^2 \rightarrow R^3$ which maps the basis (1,0,0), (0,1,0) and (0,0,1) to the vectors (1,1), (2,3) and (-1,2). Hence find the image of (1,2,0)
- 3. Prove that the mapping φ ; $R^3 \rightarrow R^3$ defined by T(x, y, z) = (x + y, y + z, z + x) is an isomorphism

Course Outcome 3(CO3):

- 1. Prove that the definition $f(u, v) = x_1y_1 2x_1y_2 + 5x_2y_2$ for $u = (x_1, y_1)$ and $v = (x_2, y_2)$ is an inner product in \mathbb{R}^2 .
- 2. Prove the triangle inequality $||u + v|| \le ||u|| + ||v||$ in any inner product space.
- 3. Find an orthonormal basis corresponding to the basis $\{1, tcost, sint\}$ of the subspace of the vector space of continuous functions with the inner product defined by $\int_0^{\pi} f(t)g(t)dt$ using Gram Schimdt process.

Course Outcome 4 (CO4):

1. Consider the transformation $T: \mathbb{R}^2 \to \mathbb{R}^2$ defined by (x, y) = (x - y, 2x - y). Is T diagonalizable. Give reasons.

2. Use power method to find the dominant eigen value and corresponding eigen vector

of
$$\begin{bmatrix} 0 & 1 & 0 \\ 0 & 0 & 1 \\ 18 & -1 & -7 \end{bmatrix}$$
.

3. Prove that a square matrix A is invertible if and only if all of its eigen values are non-zero.

Course Outcome 5 (CO5):

- 1. Find a singular value decomposition of $\begin{vmatrix} -1 & 1 \end{vmatrix}$
- 2. Find the least square solution to the system of equations x + 2y + z = 1, 3x - y = 2, 2x + y - z = 2, x + 2y + 2z = 1
- 3. Solve the system of equations $2x_1 + x_2 + x_3 = 2$, $x_1 + 3x_2 + 2x_3 = 2$, and $3x_1 + x_2 + 2x_3 = 2$ by LU decomposition method.

Syllabus

Module 1

Vector Spaces, Subspaces -Definition and Examples. Linear independence of vectors, Linear span, Bases and dimension, Co-ordinate representation of vectors. Row space, Column space and null space of a matrix

Module 2

Linear transformations between vector spaces, matrix representation of linear transformation, change of basis, Properties of linear transformations, Range space and Kernel of Linear transformation, Inverse transformations, Rank Nullity theorem, isomorphism

Module 3

Inner Product: Real and complex inner product spaces, properties of inner product, length and distance, Cauchy-Schwarz inequality, Orthogonality, Orthonormal basis, Gram Schmidt orthogonalization process. Orthogonal projection. Orthogonal subspaces, orthogonal compliment and direct sum representation.

Module 4

Eigen values, eigenvectors and eigen spaces of linear transformation and matrices, Properties of eigen values and eigen vectors, Diagonalization of matrices, orthogonal diagonalization of

real symmetric matrices, representation of linear transformation by diagonal matrix, Power method for finding dominant eigen value,

Module 5

LU-decomposition of matrices, QR-decomposition, Singular value decomposition, Least squares solution of inconsistent linear systems, curve-fitting by least square method, solution of linear systems of differential equations by diagonalization

Text Books

- 1. Richard Bronson, Gabriel B. Costa, *Linear Algebra-an introduction*, 2nd edition, Academic press, 2007
- 2. Howard Anton, Chris Rorres, *Elementary linear algebra: Applications versio*, 9th edition, Wiley

References

- 1. Gilbert Strang, *Linear Algebra and It's Applications*, 4th edition, Cengage Learning, 2006
- 2. Seymour Lipschutz, Marc Lipson, *Schaum's outline of linear algebra*, 3rd Ed., Mc Graw Hill Edn.2017
- 3. David C Lay, Linear algebra and its applications, 3rd edition, Pearson
- 4. Stephen Boyd, Lieven Vandenberghe, *Introduction to Applied Linear Algebra: Vectors, Matrices, and Least Squares,* Cambridge University Press, 2018
- 5. W. Keith Nicholson, *Linear Algebra with applications*, 4th edition, McGraw-Hill, 2002

Assignments:

Assignment should include specific problems highlighting the applications of the methods introduced in this course in science and engineering.

No	Торіс	No. of Lectures
1	Vector spaces (9 hours)	
1.1	Defining of vector spaces, example	2
1.2	Subspaces	1
1.3	Linear dependence, Basis, dimension	3
1.4	Row space, column space, rank of a matrix	2

Course Contents and Lecture Schedule

MATHEMATICS

1.5	Co ordinate representation	1
2	Linear Mapping (9 hours)	
2.1	General linear transformation, Matrix of transformation.	2
2.2	Kernel and range of a linear mapping	1
2.3	Properties of linear transformations,	2
2.4	Rank Nullity theorem.	1
2.5	Change of basis .	2
2.6	Isomorphism	1
3	Inner product spaces (9 hours)	
3.1	Inner Product: Real and complex inner product spaces,	2
3.2	Properties of inner product, length and distance	2
3.3	Triangular inequality, Cauchy-Schwarz inequality	1
3.4	Orthogonality, Orthogonal complement, Orthonormal bases,	1
3.5	Gram Schmidt orthogonalization process, orthogonal projection	2
3.6	Direct sum representation	1
4	Eigen values and Eigen vectors (9 hours)	
4.1	Eigen values and Eigen vectors of a linear transformation and matrix	2
4.2	Properties of Eigen values and Eigen vectors	1
	Estd.	
4.3	Diagonalization., orthogonal diagonalization	4
4.4	Power method	1
4.5	Diagonalizable linear transformation	1
5	Applications (9)	
5.1	LU decomposition, QR Decomposition	2
5.2	Singular value decomposition	2
5.3	Least square solution	2
5.4	Curve fitting	1
5.5	Solving systems of differential equations.	2

ECT281	ELECTRONIC CIRCUITS	CATEGORY	L	Т	Р	CREDIT
		Minor	3	1	0	4

Preamble: This course aims to develop the skill of the design of various analog circuits.

Prerequisite: EST130 Basics of Electrical and Electronics Engineering

Course Outcomes: After the completion of the course the student will be able to 1121... 1.1.1 17 he of the second 18

C O 1	Realize simple circuits using diodes, resistors and capacitors
C O 2	Design amplifier and oscillator circuits
C O 3	Design Power supplies, D/A and A/D convertors for various applications
C O4	Design and analyze circuits using operational amplifiers

Mapping of course outcomes with program outcomes

	PO 1	PO 2	PO 3	PO 4	PO 5	PO 6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12
CO 1	3	3		1								2
C O 2	3	3		11								2
C O 3	3	3		6								2
CO 4	3	3										2

Assessment Pattern

Bloom's Category		Continuous Ass	sessment Tests	End Semester Examination		
	1.00	1	2			
Remember	K1	10	10	10		
Understand	K2	20	20	20		
Apply	K3	20	20	70		
Analyse	K4					
Evaluate	100					
Create	1		and the second second	1000		

2014

Mark distribution

Total Marks	CIE	ESE	ESE Duration
150	50	100	3 hours

Continuous Internal Evaluation Pattern:

Attendance

Allenuarice	. 10 marks
Continuous Assessment Test (2 numbers)	: 25 marks
Assignment/Quiz/Course project	: 15 marks

: 10 marks 25 marks

End Semester Examination Pattern: There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

Course Level Assessment Questions

Course Outcome 1 (CO1): Realize simple circuits using diodes, resistors and capacitors.

- 1. For the given specification design a differentiator and integrator circuit.
- 2. For the given input waveform and circuit, draw the output waveform and transfer characteristics.
- 3. Explain the working of RC differentiator and integrator circuits and sketch the output waveform for different time periods.

Course Outcome 2 (CO2): Design amplifier and oscillator circuits.

- 1. For the given transistor biasing circuit, determine the resistor values, biasing currents and voltages.
- 2. Explain the construction, principle of operation, and characteristics of MOSFETs.
- 3. Design a RC coupled amplifier for a given gain.
- 4. Design a Hartley oscillator to generate a given frequency.

Course Outcome 3 (CO3): Design Power supplies, D/A and A/D convertors for various applications.

- 1. Design a series voltage regulator.
- 2. For the regulator circuit, find the output voltage and current through the zener diode.
- 3. In a 10 bit DAC, for a given reference voltage, find the analog output for the given digital input.

Course Outcome 4 (CO4): Design circuits using operational amplifiers for various applications

- 1. For the given difference amplifier, find the output voltage.
- 2. Derive the expression for frequency of oscillation of Wien bridge oscillator using op-amp.
- 3. Realize a summing amplifier to obtain a given output voltage.

SYLLABUS

Module 1:

Wave shaping circuits: Sinusoidal and non-sinusoidal wave shapes, Principle and working of RC differentiating and integrating circuits, Clipping circuits - Positive, negative and biased clipper. Clamping circuits - Positive, negative and biased clamper.

Transistor biasing: Introduction, operating point, concept of load line, thermal stability (derivation not required), fixed bias, self bias, voltage divider bias.

Module 2: MOSFET- Structure, Enhancement and Depletion types, principle of operation and characteristics.

Amplifiers: Classification of amplifiers, RC coupled amplifier – design and working, voltage gain and frequency response. Multistage amplifiers - effect of cascading on gain and bandwidth.

Feedback in amplifiers - Effect of negative feedback on amplifiers.

MOSFET Amplifier- Circuit diagram, design and working of common source MOSFET amplifier.

Module 3:

Oscillators: Classification, criterion for oscillation, Wien bridge oscillator, Hartley and Crystal oscillator. (design equations and working of the circuits; analysis not required).

Regulated power supplies: Review of simple zener voltage regulator, series voltage regulator, 3 pin regulators-78XX and 79XX, DC to DC conversion, Circuit/block diagram and working of SMPS.

Module 4 : Operational amplifiers: Characteristics of op-amps(gain, bandwidth, slew rate, CMRR, offset voltage, offset current), comparison of ideal and practical op-amp(IC741), applications of op-amps- scale changer, sign changer, adder/summing amplifier, subtractor, integrator, differentiator, Comparator, Instrumentation amplifier.

Module 5:

Integrated circuits: D/A and A/D convertors – important specifications, Sample and hold circuit, R-2R ladder type D/A convertors.

Flash and sigma-delta type A/D convertors.

Text Books

- Robert Boylestad and L Nashelsky, Electronic Devices and Circuit Theory, Pearson, 2015.
- **2.** Salivahanan S. and V. S. K. Bhaaskaran, Linear Integrated Circuits, Tata McGraw Hill, 2008.

Reference Books

- 1. David A Bell, Electronic Devices and Circuits, Oxford University Press, 2008.
- 2. Neamen D., Electronic Circuits, Analysis and Design, 3/e, TMH, 2007.

- 3. Millman J. and C. Halkias, Integrated Electronics, 2/e, McGraw-Hill, 2010.
- 4. Op-Amps and Linear Integrated Circuits, Ramakant A Gayakwad, PHI, 2000.
- 5. K.Gopakumar, Design and Analysis of Electronic Circuits, Phasor Books, Kollam, 2013

	Course Contents and Lecture Schedule	
	AL ADDOL NALAM	
No	Topic T C C L No. of	Lectures
1	Wave shaping circuits	
1.1	Sinusoidal and non-sinusoidal wave shapes	1
1.2	Principle and working of RC differentiating and integrating circuits	2
1.3	Clipping circuits - Positive, negative and biased clipper	1
1.4	Clamping circuits - Positive, negative and biased clamper	1
	Transistor biasing	
1.5	Introduction, operating point, concept of load line	1
	Thermal stability, fixed bias, self bias, voltage divider bias.	3
2	Field effect transistors	
2.2	MOSFET- Structure, Enhancement and Depletion types, principle of	2
	operation and characteristics	
	Amplifiers	
2.3	Classification of amplifiers, RC coupled amplifier - design and working	3
	voltage gain and frequency response	
2.4	Multistage amplifiers - effect of cascading on gain and bandwidth	1
2.5	Feedback in amplifiers - Effect of negative feedback on amplifiers	1
	MOSFET Amplifier- Circuit diagram, design and working of common	2
	source MOSFET amplifier	
	Estu,	
3	Oscillators	
3.1	Classification, criterion for oscillation	1
3.2	Wien bridge oscillator, Hartley and Crystal oscillator	3
	Regulated power supplies	
3.3	simple zener voltage regulator, series voltage regulator line and load regulation	3
3.4	3 pin regulators-78XX and 79XX	1
3.5	DC to DC conversion, Circuit/block diagram and working of SMPS	1
4	Operational amplifiers	
4.1	Differential amplifier	2
4.2	characteristics of op-amps(gain, bandwidth, slew rate, CMRR, offset	2
	voltage, offset current), comparison of ideal and practical op-amp(IC741)	
4.3	applications of op-amps- scale changer, sign changer, adder/summing	3
	amplifier, subtractor, integrator, differentiator	

4.4	Comparator, Schmitt trigger, Linear sweep generator	
5	Integrated circuits	
5.1	D/A and A/D convertors – important specifications, Sample and hold circuit	1
5.2	R-2R ladder type D/A convertors	2
5.3	Flash and successive approximation type A/D convertors	2
5.4	Circuit diagram and working of Timer IC555, astable and monostable	3
	multivibrators using 555	

Assignment:

Atleast one assignment should be simulation of transistor amplifiers and op-amps on any circuit simulation software.

Model Question paper

APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

THIRD SEMESTER B.TECH DEGREE EXAMINATION, (Model Question Paper)

Course Code: ECT281

Course Name: ELECTRONIC CIRCUITS

Max. Marks: 100

Duration: 3 Hours

PART A

Answer ALL Questions. Each Carries 3 mark.

1 Design a clamper circuit to get the following transfer characteristics, assuming K3 voltage drop across the diode s 0.7V.



- 2 Give the importance of biasing in transistors? Mention significance of operating K2 point.
- 3 What is line regulation and load regulation in the context of a voltage regulator? K2 Explain with equation for percentage of regulation:-
- 4 Compare the features of FET with BJT:-

K1

5 What is the effect of cascading in gain and bandwidth of amplifier? K1

6	Discuss about simple zener shunt voltage regulator:-	K1
7	Realize a circuit to obtain Vo= $-2V_1+3V_2+4V_3$ using operational amplifier. Use minimum value of resistance as $10K\Omega$.	K3
8	Design a monostable multivibrator using IC 555 timer for a pulse period of 1 ms.	K3
9	Describe the working of a Flash type A/D Converter, with example.	K2
10	Define: (1) Slew rate, (2) CMRR, (3) offset voltage and current:- PART – B	K2
	Answer one question from each module; each question carries 14 marks.	
	Module - I	
1 1	Design a differentiator circuit for a square wave signal with Vpp=10 and frequency	5
a.	10KHz:-	CO1 K3
b.	Consider a self-biasing circuit shown in figure below with Vcc=20V, R_c =1.5K Ω ,	9
	which is operated at Q-point (Vce=8V, Ic=4mA), If $h_{FE}=100$, find R_1 , R_2 and R_e . Assume $V_{BE}=0.7V$.	CO2 K3
	2014 end	

12 Explain the working of an RC differentiator circuit for a square wave input with period 5

OR

a. T.Sketchits output waveform for RC \gg T,RC \ll T and RC = T.

CO1 K3

b. With reference to the following circuit, draw the load line and mark the Q point of a Silicon transistor operating in CE mode based on the following data (β =80, CO2 Rs=47K Ω , R_L=1K Ω , neglect I_{CBO})

CO2

K3 ۱_c RL = 1KÄF Vcc=20Volts VEB=10V Draw the output waveform and transfer characteristics of the given clipper circuit. 4 c. CO1 R K3 D, D Vin V. 20 Vpp 31 Circuit diagram Module - II With neat sketches, explain the construction, principle of operation and 13 9 CO2 a. characteristics of an N-channel enhancement MOSFET:-K2 Draw the circuit of an RC coupled amplifier and explain the function of each b. 5 element:-CO2 K2 OR Draw the circuit of a common source amplifier using MOSFET. Derive the 9 14 expressions for voltage gain and input resistance:-CO2 a. K2 Sketch the frequency response of an RC coupled amplifier and write the reasons for gain reduction in both ends. b. 5 CO2 K2 **Module - III** Design a Hartley oscillator to generate a frequency of 150KHz. 15 5

a.

K3

5 CO4 K3

b. Draw the circuit of a series voltage regulator. Explain its working when the input voltage as well as load current varies. Design a circuit to deliver 5V, 100mA CO3 maximum load current: K3

OR

16	With neat diagram and relevant equations explain the working of wein bridge	7
a.	oscillator using BIT - A BIT CALA	CO2
		K2
	TECHNOLOGICAL	
b.	Derive the expression for the frequency of oscillation of Wien bridge oscillator using	4
0.	BJT	CO2
	UINIVLINDIII	K2

c. For the circuit shown below, find the ouput voltage across RL and current through the zener diode:-K3



 17
 With circuit, relevant equations and waveforms explain the working of a Schmit
 10

 a.
 trigger using op-amp: CO4

 K2

The difference amplifier shown in the figure have $R_1=R_2=5K\Omega$, $R_F=10K\Omega$,

b. $R_g=1K\Omega$. Calculate the output voltage.

$V_1 \circ V_1 \circ V_{1} \circ V_{0ut}$

OR

18With circuits and equations show that an op-amp can act as integrator,9a.differentiator, adder and subtractor.CO4K2

 b.
 What do you mean by differential amplifier? With neat sketches, explain the working of an open loop OP-AMP differential amplifier.
 5

 K2

Module - V

19	Explain the working of R-2R ladder type DAC. In a 10 bit DAC, reference voltage is	10
a.	given as 15V. Find analog output for digital input of 1011011001.	CO3
b.	With neat diagram explain the working of IC555 timer. ALAM TECHNOLOGICAL UNIVERSITY	K3 4 CO4 K3
20 a.	A 4-bit R-2R ladder type DAC having R= 10 k Ω and V _R = 10 V. Find its resolution and output voltage for an input 1101.	4 CO4 K3
Ъ.	Design an astable multivibrator using IC 555 timer for a frequency of 1KHz and a duty cycle of 70%. Assume c=0.1 μ F.	5 CO4 K3
C.	Draw the circuit diagram of a simple sample and hold circuit and explain the	5
	necessity of this circuit in A to D conversion.	CO4
		K2

Estd. 2014

Simulation Assignments

The following simulations can be done in QUCS, KiCad or PSPICE.

- 1. Design and simulate RC coupled amplifer. Observe the input and output signals. Plot the AC frequency response and understand the variation of gain at high frequencies. Observe the effect of negative feedback by changing the capacitor across the emitter resistor.
- 2. Design and simulate Wien bridge oscillator for a frequency of $10 \, kHz$. Run a transient simulation and observe the output waveform.
- 3. Design and simulate series voltage regulator for output voltage $V_O = 10V$ and output current $I_O = 100mA$ with and without short circuit protection and to test the line and load regulations.
- 4. Design and implement differential amplifier and measure its CMRR. Plot its transfer characteristics.
- 5. Design and simulate non-inverting amplifier for gain 5. Observe the input and output signals. Run the ac simulation and observe the frequency response and 3– db bandwidth.
- 6. Design and simulate a 3 bit flash type ADC. Observe the output bit patterns and transfer characteristics
- 7. Design and simulate R 2R DAC ciruit.
- 8. Design and implement Schmitt trigger circuit for upper triggering point of +8V and a lower triggering point of -4V using op-amps. **510**.

2014

ECT 283	ANALOG COMMUNICATION	CATEGORY	L	Т	Р	CREDIT
		Minor	3	1	0	4

Preamble: The course has two objectives: (1) to study two analog modulation schemes known as amplitude modulation and frequency modulation (2) to understand the implementations of transmitter and reciever systems used in AM and FM.

Prerequisite: NIL

Course Outcomes: After the completion of the course the student will be able to

	TECLINICALCAL
CO 1	Explain various components of a communication system
CO 2	Discuss various sources of noise, and its the effect in a communication system
CO 3	Explain amplitude modulation and its variants for a sinusoidal message
CO 4	Explain frequency modulation and its variants for a sinusoidal message
CO 5	List and compare various transmitter and receiver systems of AM and FM

Mapping of course outcomes with program outcomes

	PO 1	PO 2	PO 3	PO 4	PO 5	PO	6	PO 7	PO 8	PO 9	PO 10	PO 11	PO 12
CO 1	3	3	and the second	1000									
CO 2	3	3	1. C	21									
CO 3	3	3		11									
CO 4	3	3											
CO 5	3	3											
CO 6	3	3											

Assessment Pattern

Bloom's Category	Continu	ious Ass	sessm	ent Tests	s End Semeste	r Examination	
		1	Est	d.	2		
Remember	K1	1)	14	10		10
Understand	K2	2)		20		20
Apply	K3	2)		20		70
Analyse							
Evaluate			100		1	1.1	
Create			-20	14	1		

Mark distribution

Total Marks	CIE	ESE	ESE Duration
150	50	100	3 hours

Continuous Internal Evaluation Pattern:

Attendance	: 10 marks
Continuous Assessment Test (2 numbers)	: 25 marks

Assignment/Quiz/Course project

: 15 marks

End Semester Examination Pattern: There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

Course Level Assessment Questions

Course Outcome 1 (CO1): Explain various components of a communication system.

- 1. What is the need of a modulator in a radio communcation system?
- 2. What are the various frequency bands used in radio communication
- 3. Why base band communication is infeasible for terrestrial air transmission?

Course Outcome 2 (CO2): Discuss various sources of noise, and its the effect in a communication system.

- 1. What is thermal noise?
- 2. Describe the noise voltage generated across resistor?
- 3. Why is it that noise voltage can not be used as a source for power?

Course Outcome 3 (CO3): Explain amplitude modulation and its variants for a sinusoidal message.

- 1. Write down the equation for an AM wave for a sinusoidal message
- 2. What is the significance of modulation index?
- 3. Describe envelope detector

Course Outcome 4 (CO4): Explain frequency modulation and its variants for a sinusoidal message

state

- 4. How is practical bandwidth for an FM wave determined?
- 5. What are the value of frequency devalation, bandwidth for a typical FM station?
- 6. What is PLL?

Course Outcome 5 (CO5): List and compare various transmitter and receiver systems of AM and FM

- 1. Draw the block diagram of a super heterodyne receiver.
- 2. How is adjasecent channel rejection achieved in superhet? How is image rejection achieved in a superhet?
- 3. Explain the working principle of one FM generator, and one FM demodulator.

Syllabus

Module I

Introduction, Elements of communication systems, Examples of analog communication systems, Frequency bands, Need for modulation.

Noise in communication system, Definitions of Thermal noise (white noise), Various types of noise -- Shot noise, Partition noise, Flicker noise, Burst noise, (No analysis required) Signal to noise ratio, Noise factor, Noise temperature, Narrow band noise.

Module II

Brief overview of signals and systems -- Signals, Classification of signals, Energy and power of signals, Basic signal operations, Impulse function, Properties of impulse function, Convolution, LTI system, Fourier Transform, Basic properties, Using Fourier transform to study LTI system.

Module III

Amplitude modulation (AM), Double-side band suppressed carrier (DSB-SC) modulation Single sideband modulation (SSB) – spectrum, power, efficiency of all the three variants. (Study of only tone modulation in DSB-SC, AM, and SSB.) Amplitude-modulator implementations – switching modulator, balanced modulator. AM demodulators -- Coherent demodulator. Envelope detector.

Module IV

Frequency modulation – modulation index, frequency deviation, average power, spectrum of tone modulated FM. Heuristics for bandwidth of FM. Narrow band FM and wide-band FM. FM generation: Varactor diode modulator, Armstrongs method. FM demodulation – slope detection, PLL demodulator.

Module V

Superheterodyne reciever, Principle of Carrier synchronization using PLL, NTSC Television broadcasting.

Text Books

1. Kennedy, Davis, "Electronic Communication Systems," 4th Edition, Tata McGraw Hill

2. Wayne Tomasi, "Electronic Communication Systems – Fundamentals through Advanced," 5th edition, Pearson.

2014

3. B. P. Lathi, Zhi Ding, Modern Digital and Analog Communication Systems, 4th edition, Oxford University Press.

Reference books

1. Leon W. Couch, Digital and Analog Communication Systems, 8th edition, Prentice Hall.

Course Contents and Lecture Schedule

No	Торіс	No. of Lectures
	API ABDUL KALAN	1
Ι	Introduction, Elements of communication systems, Examples of analog communication systems, Frequency bands, Need for modulation	3
		_
	Noise in communication system, Definitions of Thermal noise (white noise) Shot noise Partition noise Flicker noise Burst	5
	noise, (No analysis required) Signal to noise ratio, Noise factor, Noise temperature, Narrow band noise.	
II	Brief Overview of Signals and Systems: Signals, Classification	4
	of signals, Energy and power of signals, Basic signal operations,	
	Impulse function, Properties of impulse function, Convolution,	2
	Definition of Linear time-invariant system. Input-output relation	2
	of LTI system	
	Definition of Fourier Transforms, Some Properties of Fourier	5
	Transform – Linearity, Time-shift, Modulation theorem, Parsevals	
	theorem. Using Fourier Transform to study LTI systems.	1
III	Amplitude modulation (AM) – modulation index, spectrum, power, efficiency.	2
	Double-side band suppressed carrier (DSB-SC) modulation – spectrum, power, efficiency.	1
	Single sideband modulation (SSB) – spectrum, power, efficiency. (Study of only tone modulation in DSB-SC, AM, and SSB.)	1
	Amplitude-modulator implementations – switching modulator,	2
	balanced modulator (at block diagram level).	-
	AM demodulators Coherent demodulator. Envelope detector.	3
IV	Frequency modulation – modulation index, frequency deviation, average power, spectrum of tone modulated FM	4
	Heuristics for bandwidth of FM. Narrow band FM and wide-band FM.	1
	FM generation: Varactor diode modulator, Armstrongs method. FM demodulation – slope detection, PLL demodulator.	4

V	Receivers for AM/FM: Super heterodyne receiver (block	3
	diagram), Adjacent channel selectivity, Image rejection, Double conversion.	
	Carrier Synchronization using PLL	1
	NTSC Television broadcasting using AM, FM radio broadcasting.	2

Sample Assignments

- 1. Using the message signal $m(t)=t/1+t^2$. Determine and sketch the modulated wave for amplitude modulation whose percentage of modulation equal the following values 50%, 100%, 120%
- 2. A standard AM transmission sinusoidally modulated to a depth of 30% produces sideband frequencies of 4.98MHz & 4.914 MHz. the amplitude of each sideband frequency is 75V. Determine the amplitude and frequency of the carrier?
- 3. Write the typical frequency ranges for the following classification of EM spectrum: MF, HF,VHF and UHF.
- 4. List the basic functions of a radio transmitter and corresponding functions of the receiver?
- 5. Discuss the types causes and effects of various forms of noise at a receiver.
- 6. What are the different frequency components in SSB & DSBSC signals?
- 7. Describe the AM generation using diode as a nonlinear resistor.
- 8. Define the following terms in the context of FM -- Frequency deviation, frequency sensitivity, instantaneous phase deviation.
- 9. The equation for FM wave is $s(t) = 10 \cos (2\pi * 10^6 t + 5 \sin (200 \pi t + 10 \sin (3000 \pi t)))$ Calculate frequency deviation, approximate transmission BW and power in the modulated signal.



APJ ABDUL KALAM TECHNOLOGICAL UNIVERSITY

THIRD SEMESTER B.TECH. DEGREE EXAMINATION

ECT 283: Analog Communication

- Max. Marks: 60 ABD hours TECHNOL PARTA Answer all questions. Each question carries 3 marks each.
- 1. Explain the need for modulation.
- 2. A receiver connected to an antenna whose resistance is 50 ohm has an equivalent noise resistance of 30 ohm .calculate receiver noise figure in decibels & its equivalent noise temperature?
- 3. Plot the signal x(t)=u(t+1)+2u(t)-u(t-3)
- 4. State Parseval's theorem for DTFT. What is its signifance?
- 5. Define amplitude modulation? Give the frequency spectrum for AM wave?
- 6. Derive the expression for total power of AM wave?
- 7. Explain the following terms a)Modulation index b)Instantaneous frequency deviation
- 8. Compare AM & FM systems.
- 9. What are the advantages that the super heterodyne receiver has over the receivers? Are there any disadvantages?
- 10. Give the limitations of NTSC systems?

PART B

- 11. (a) Explain the following (i) Thermal noise (ii) Flicker noise (6 marks)
 - (b) Explain the elements of communication systems in detail? (8 marks)

OR

12. (a) Define the signal to noise ratio and noise and noise figure of a receiver? How noise temperature related to noise figure? (8 marks)

(b) List the basic functions of a radio transmitter & the corresponding functions of the receiver? (6 marks)

13. (a) Distinguish between energy & power signals. Give an example for each category? (6 marks)

(b) State and prove the linearity and time shifting property of Fourier Transform? (8 marks)

OR

14. (a) Check whether the systems are linear & stable. (i) $y(t)=e^{x(t)}$ (ii) y[n]=x[n-1] (6 marks)

(b) Find convolution of signal x[n] = [1,-1, 1, 1] with itself? (5 marks)

(c)Distinguish between causal & non causal systems with suitable examples? (3 marks)

15. (a) Derive the expression of total power in SSB wave? (7 marks)

(b) Describe the AM demodulation using envelope detector? (7 marks)

OR

OR

OR

16. (a) Describe the DSB SC wave generation process using balanced modulation (9 marks)

(b) Give the spectrum of SSB & DSB SC waves? Make comparison of bandwidth requirements. (5 marks)

- 17. (a) Explain the direct method of generating FM signal using varactor diode? (6 marks)(b) Explain frequency modulation and it average power? (6 marks)
- 18. (a) Explain with relevant mathematical expressions, the demodulation of FM signal using PLL? (10 marks)
 - (b) Give the spectrum of tone modulated FM? (4 marks)
- 19. (a) Explain the super heterodyne receiver with a detailed block diagram? (10 marks)(b) Explain how the use of RF amplifier & improve the NR of a super heterodyne receiver? (4 marks)
- 20. (a) Explain the TV broadcasting system using AM? (10 marks)(b) What is image frequency, how does it arise? (4 marks)



ELECTRONICS AND COMMUNICATION ENGINEERING Simulation Assignments

The following simulations can be done in Python/SCILAB/MTLAB or LabVIEW.

Amplitude Modulation Schemes

- Create a sinusoidal carrier $(x_c(t))$ and AF signal (x_t) with the frequency of carrier being 10 times that of the AF signal.
- Compute the AM signal as $mx_c(t)x(t) + x_c(t)$ for various values of the modulation index m ranging from 0 to 1.
- Observe the power spectral density of this AM signal.
- $mx_c(t)x(t)$ is the DSB-SC signal. Observe this signal and its power spectral density.
- Load a speech signal in say in *.wav* format into a vector and use it in place of the AF signal and repeat the above steps for a suitable carrier.

SSB Signal Generation

- Simulate an SSB transmitter and receiver using $-\frac{\pi}{2}$ shifters. This can be realized by the Hilbert Transform function in Python, MATLAB etc.
- Test the system with single tone and speech signal.
- Add channel noise to the signal and test for the robustness against noise.
- Slightly offset the receiver carrier phase and observe the effect at the reception.

FM Signal Generation

- Create a sinusoidal carrier $(x_c(t))$ and a single tone signal (x(t)) with the frequency of carrier being 50 times that of the message tone.
- Compute the FM signal with a modulation index of 5.
- Observe the power spectral density of this FM signal for spectral width of 10 times that tone frequency.

2014

AM Radio Receiver

- Procure a radio kit
- Assemble the kit by soldering all components and enjoy.

FM Radio Receiver

- Procure an FM radio kit
- Assemble the kit by soldering all components and enjoy.

Generation of Discrete Signals

- Generate the following discrete signals
 - Impulse signal
 - Pulse signal and
 - Triangular signal

ECT285	INTRODUCTION TO SIGNALS AND	CATEGORY	ΑU	₩C/	PIC	CREDIT	ERING
	SYSTEMS	Minor	3	1	0	4	

Preamble: This course aims to apply the concepts of electrical signals and systems

Prerequisite: None

Course Outcomes: After the completion of the course the student will be able to

CO 1	Defir	ie ar	nd c	lassify	contir	uou	s and	l disc	rete	signa	als					
CO 2	Expla	Explain and characterize a system and LTI system														
CO 3	Expla	ain t	he s	pectrur	n of a	sigr	nal				K	A		AI	M	
Маррі	ng of	cou	rse (outcom	es wi	th p	rogr	am o	utc	omes	22	1	7	~ k	1	
	PO	PC) 2	PO 3	PO 4	1 P	05	PO	6 1	PO 7	PO 8	PO	9	PO	PO	PO 12
	1		+	1-2	100		÷.,	1.5	4	5	123	1.1	24	10	11	
CO 1	3	3				2		$\langle f \rangle$	4	12	1		V			
CO 2	3	3			3	2	1	V.	4	11	24		A.			
CO 3	3	3			3	2										
•	. 1															

Assessment Pattern

Bloom's Catego	ry	Continuous As	sess	ment	End Semester Exam	mination	
		Tests					
		1		2			
Remember		10	10		20		
Understand	1.000	10	10		20		
Apply		30	30	and the second second	60		
Analyse		1					
Evaluate							
Create							
Continuous Inte	ernal Evaluati	ion Pattern:					
Attendance		: 10) ma	rks			

Attendance

Continuous Assessment Test (2 numbers) : 25 marks Assignment/Quiz/Course project : 15 marks

End Semester Examination Pattern: There will be two parts; Part A and Part B. Part A contain 10 questions with 2 questions from each module, having 3 marks for each question. Students should answer all questions. Part B contains 2 questions from each module of which student should answer any one. Each question can have maximum 2 sub-divisions and carry 14 marks.

Course Level Assessment Questions

Course Outcome 1 (CO1): Definition and classification of signals

- 1. Define a signal. Classify them to energy and power signals.
- 2. Determine whether the signal x(t) = cos(3t) + sin(5t) is periodic. If so what is the period?
- 3. Compare the frequency range of continuous time and discrete signals.

Course Outcome 2 (CO2): Explain and characterize a system

- **1.** Check whether the system $y[n] = cos\{x[n]\}$ is a. Stable b. Causal c. time invariant d. linear
- 2. Derive the ouptut of a continuous time LTI system
- 3. Give the meaning of impulse response of LTI systems

Course Outcome 2 (CO3): Spectra of Signals

- 1. State and prove Parsevals theorem
- 2. State and prove the modulation property of Fourier transform

3. Find the continuous tilme Fourier transform a pulse of width w and amplitude unity and centred about the origin.

Module 1 : Introduction to Continuous Time Signals

Definition of signal. Basic continous-time signals. Frequency and angular frequency of continoustime signals . Basic operation on signals. Classification of continous-time signals:Periodic and Nonperiodic signals.Even and Odd signals, Energy and power signals. Noise and Vibration signals.

Module 2 : Discrete Time Signals

Basic discrete-time signals. Frequency and angular frequency of discrete-time signals.Classification of discrete-time signals:Periodic and Non-periodic signals.Even and Odd signals, Energy and power signals.

Module 3: Systems

System definition. Continuous-time and discrete-time systems. Properties – Linearity, Time invariance, Causality, Invertibility, Stability. Representation of systems using impulse response.

Module 4: Linear time invariant systems

LTI system definition. Response of a continous-time LTI system and the Convolutional Integral. Properties. Response of a discrete-time LTI system and the Convolutional Sum. Properties. Correlation of discrete-time signals

Module 5 : Frequency analysis of signals

Concept of frequency in continous-time and discrete-time signals. Fourier transform of continuoustime and discrete-time signals. Parsevals theorem. Interpretation of Spectra. Case study of a vibration signal.The sampling theorem.

Text Books

- 1. Simon Haykin, Barry Van Veen, Signals and systems, John Wiley
- 2. Hwei P.Hsu, Theory and problems of signals and systems, Schaum Outline Series, MGH.
- 3. Anders Brandt, Noise and Vibration Analysis, Wiley publication.
- 4. A Anand Kumar, Signals and systems, PHI learning
- 5. Sanjay Sharma, Signals and systems

Course Contents and Lecture Schedule

No	Topic No. of	Lectures
1	Introduction to Continuous Time Signals	
1. 1	Definition of signal, Basic continous-time signals.	3
1.2	Frequency and angular frequency of continous-time signals	1
1.3	Basic operation on signals	1
1.4	Classification of continous-time signals	3
1.5	Noise and Vibration signals	1
2	Discrete Time Signals	
2.1	Basic discrete-time signals and its frequency	3
2.2	Classification of discrete-time signals	3

	ELECTRONICS AND COMMUNICATION	N ENGIN					
3	Systems	•					
3.1	System definition- CTS & DTS	1					
3.2	Properties-Linearity, Time invariance	3					
3.3	Causality, Invertibility, Stability	2					
3.4	Representation of systems using impulse response	1					
4	Linear time invariant systems						
4. 1	LTI system definition.Properties.						
4.2	Response of a continuous-time LTI system and the Convolutional Integral						
4.3	Response of a discrete-time LTI system and the Convolutional Sum						
4.4	Correlation of discrete-time signals						
5	Frequency analysis of signals						
5.1	Concept of frequency in continuous-time and discrete-time signals	1					
5.2	CTFT and spectra	3					
5.3	DTFT and spectra	3					
5.4	DFT	1					
5.5	Parsevals theorem	1					
5.6	Case study of a vibration signal	1					
5.7	The sampling theorem	2					



Model Question Paper

A P J Abdul Kalam Technological University

Fourth Semester B Tech Degree Examination

ECT 285 Introduction to Signals and Systems

Time: 3 Hrs

Max. Marks: 100

PART A

Answer All Questions

1	Differentiate between energy and power signal with example.	(3)	K_2
2	Find the even and odd components of $x(t) = e^{jt}$.	(3)	K_2
3	Define discrete time signal and comment about its frequency	(3)	K_2
	range.		
4	Sketch the sequence $x(n) = 2\delta(n-3) - \delta(n-1) + \delta(n) + \delta(n+2)$.	(3)	K_2
5	State and explain BIBO condition for system.	(3)	K_1
6	Distinguish between continuous time and discrete time systems.	(3)	K_2
7	Derive a relationship between input and output for a discrete	(3)	K_2
	LTI system		
8	Compute the energy of the signal	(3)	K_2
	$x(n) = 0.8^n u(n)$		
9	State and explain sampling theorem.	(3)	K_2
10	Comment about the input output characteristics of continuous	(3)	K_2
	time Fourier transform	. /	

PART B

Answer one question from each module. Each question carries 14 mark.

- 11(A) Determine whether or not the signal $x(t) = \cos t + \sin \sqrt{2}t$ (7) K_2 is periodic. If periodic determine its fundemental period.
- 11(B) Define, sketch and list the properties of continuous time (7) K_2 impulse function





Simulation Assignments

The following simulation assignments can be done with Python/MATLAB/ SCILAB/OCTAVE $% \mathcal{A} = \mathcal{A} =$

- 1. Generate the following discrete signals
 - Impulse signal
 - Pulse signal and
 - Triangular signal
- 2. Write a function to compute the DTFT of a discrete energy signal. Test this function on a few signals and plot their magnitude and phase spectra.
- 3. Compute the linear convolution between the sequences x = [1, 3, 5, 3] with h = [2, 3, 5, 6]. Observe the stem plot of both signals and the convolution.
 - Now let h = [1, 2, 1] and x = [2, 3, 5, 6, 7]. Compute the convolution between h and x.
 - Flip the signal x by 180° so that it becomes [7, 6, 5, 3, 2]. Convolve it with h. Compare the result with the previous result.
 - Repeat the above two steps with h = [1, 2, 3, 2, 1] and h = [1, 2, 3, 4, 5, 4, 3, 2, 1]
 - Give your inference.
- 4. Write a function to generate a unit pulse signal as a summation of shifted unit impulse signals
 - Write a function to generate a triangular signal as a convolution between two pulse signals.
- 5. Relaize a continuous time LTI system with system response

$$H(s) = \frac{4}{(s+2)(s+3)}$$

- . One may use *scipy.signal.lti* package in Python.
- Make it into a discrete system (possibly with *scipy.signal.cont2discrete*)
- Observe the step response in both cases and compare.